Laboratory:Deformation Processing 2000-2004

著者	Institute for Materials Research, Tohoku University
journal or publication title	List of Publications 2000-2004
URL	http://hdl.handle.net/10097/56485

Deformation Processing 2000

Hosoda, H; Miyazaki, S; Hanada, S
Potential of IrAl base alloys as ultrahigh-temperature smart
Intermetallics 8 (2000) 1081 – 1090
00-IMR0492

Takasugi, T; Hanada, S
The effect of Nb addition on environmental embrittlement of a Ni-3(Si,Ti)
Intermetallics 8 (2000) 47 – 52
00-IMR0491

Kim, WY; Hanada, S
Tensile elongation of off-stoichiometric Fe3Si single crystals at high
J. Alloy. Compd. 299 (2000) 208 – 212
00-IMR0493

Kim, HS; Kum, D; Hanada, S
Structural evolution during mechanical alloying and annealing of a Nb-25at%Al
J. Mater. Sci. 35 (2000) 235 – 239
00-IMR0499

Nomura, N; Yoshimi, K; Konno, T; Hanada, S
Fracture toughness improvement of TiC by Nb and Mo
J. Mater. Sci. Lett. 19 (2000) 1879 – 1881
00-IMR0195

Sha, JB; Hirai, H; Tabaru, T; Kitahara, A; Ueno, H; Hanada, S
Effect of W addition on compressive strength of Nb-10Mo-10Ti-18Si-Base in-situ
Mater. Trans. JIM 41 (2000) 1125 – 1128
00-IMR0480

Suzuki, T; Nomura, N; Yoshimi, K; Hanada, S
Microstructure and creep of Mo-ZrC in-situ
Mater. Trans. JIM 41 (2000) 1164 – 1167
00-IMR0217

Ma, CL; Tan, Y; Tanaka, H; Kasama, A; Tanaka, R; Miura, S; Mishima, Y; Hanada, S
Phase equilibria in Nb-Mo-rich zone of the Nb-Si-Mo ternary
Mater. Trans. JIM 41 (2000) 1329 – 1336
00-IMR0503

Nomura, N; Yoshimi, K; Hanada, S
Mechanical properties of Mo-Nb-TiC in-situ composites synthesized by
Mater. Trans. JIM 41 (2000) 1599 – 1604
00-IMR0220

Tan, Y; Ma, CL; Tanaka, H; Kasama, A; Tanaka, R; Mishima, Y; Hanada, S
Influence of boron addition on high temperature mechanical properties of Nb3Ir intermetallic
Mater. Trans. JIM 41 (2000) 1605 – 1611
00-IMR0504

Mizuhara, Y; Masahashi, N

Diffusion bonding enhanced by phase transformation in micro-duplex titanium

Mater. Trans. JIM 41 (2000) 429 – 436

00-IMR0500

Ma, CL; Kasama, A; Tanaka, H; Tan, Y; Tanaka, R; Mashima, Y; Hanada, S

Microstructures and mechanical properties of Nb/Nb-silicide in-situ composites synthesized by reactive hot pressing of ball milled powders

Mater. Trans. JIM 41 (2000) 444 – 451

00-IMR0501

Ma, CL; Kasama, A; Tan, Y; Tanaka, H; Tanaka, R; Mishima, Y; Hanada, S

Synthesis of Nb/Nb5Si3 in-situ composites by mechanical milling and reactive spark plasma

Mater. Trans. JIM 41 (2000) 719 – 726

00-IMR0502

Masahashi, N; Hanada, S

Grain boundary character distribution of ductile L1(2)-type Ni3Al intermetallic

Z. Metallk. 91 (2000) 516 – 522

00-IMR0505

Deformation Processing 2001

Semboshi, S; Masahashi, N; Hanada, S

Degradation of hydrogen absorbing capacity in cyclically hydrogenated TiMn2

Acta Mater. 49 (2001) 927 – 935

01-IMR0577

Hanada, S; Harada, M; Sakisaka, S; Koga, H; Kawaguchi, T; Taniguchi, E; Baba, S; Shishido, S; Kumashiro, R; Ueno, T; Ueno, Y; Ishii, M

TNF-alpha and IFN-gamma affect on barrier function of tight junction in immortalized mouse cholangiocytes.

Gastroenterology 120 (2001) A356 – A356

01-IMR0578

Kim, WY; Tanaka, H; Kasama, A; Tanaka, R; Hanada, S

Microstructure and room temperature deformation of Nb-ss/Nb5Si3 in situ composites alloyed with Mo

Intermetallics 9 (2001) 521 – 527

01-IMR0579

Kim, WY; Tanaka, H; Kasama, A; Hanada, S

Microstructure and room temperature fracture toughness of Nb-ss/Nb5Si3 in situ composites

Intermetallics 9 (2001) 827 – 834

01-IMR0580

Masahashi, N; Watanabe, S; Hanada, S

Microstructure and oxidation behavior of low pressure plasma sprayed iron aluminides

ISIJ Int. 41 (2001) 1010 – 1017

01-IMR0581

Kaneno, Y; Takasugi, T; Hanada, S

Tensile property and fracture behavior of hot-rolled CoTi intermetallic compound

Mater. Sci. Eng. A-Struct. Mater. Prop. Microstruct. Process. 302 (2001) 215 – 221

01-IMR0582

Masahashi, N; Hanada, S; Mizuhara, Y

Diffusion bonding associated with phase transformation in (gamma+beta) micro-duplex titanium aluminides

Mater. Trans. 42 (2001) 1028 – 1034

01-IMR0583

Miura, E; Yoshimi, K; Hanada, S

Solid-solution strengthening by oxygen in Nb-Ta and Nb-Mo single crystals

Phys. Status Solidi A-Appl. Res. 185 (2001) 357 – 372

01-IMR0188

Lu, XY; Nagata, A; Kamio, D; Sugawara, K; Kamada, S; Watanabe, K; Hanada, S

Effect of MgO content on the formation and superconducting properties of (Bi,Pb)-2223 phase in the partial-melting and sintering process

Physica C 357 (2001) 828 – 831

01-IMR0584

Deformation Processing 2002

Miura, E; Yoshimi, K; Hanada, S

Oxygen-molybdenum interaction with dislocations in Nb-Mo single crystals at elevated

Acta Mater. 50 (2002) 2905 – 2916

02-IMR0191

Yoshimi, K; Nakatani, S; Suda, T; Hanada, S; Habazaki, H

Oxidation behavior of Mo5SiB2-based alloy at elevated

Intermetallics 10 (2002) 407 – 414

02-IMR0605

Kim, WY; Tanaka, H; Hanada, S

Microstructure and high temperature strength at 1773 K of Nb-ss/Nb5Si3 composites alloyed with molybdenum

Intermetallics 10 (2002) 625 – 634

02-IMR0606

Kim, WY; Tanaka, H; Kasama, A; Hanada, S

Effect of carbon on the tensile properties of Nb-Mo-W alloys at 1773

J. Alloy. Compd. 333 (2002) 170 – 178

02-IMR0607

Kim, WY; Hanada, S

Flow behavior and microstructures of large-grained Fe3Si during high temperature

J. Alloy. Compd. 347 (2002) 219 – 227

02-IMR0608

Kim, WY; Tanaka, H; Hanada, S

High temperature strength at 1773 K and room temperature fracture toughness of Nb-ss/Nb5Si3 in situ composites alloyed with Mo

J. Mater. Sci. 37 (2002) 2885 – 2891

02-IMR0610

Yoshimi, K; Yoo, MH; Wereszczak, AA; Borowicz, SM; George, EP; Miura, E; Hanada, S

Deformation behavior Of Mo5Si3 single crystal at high

Mater. Sci. Eng. A-Struct. Mater. 329 (2002) 228 – 234
Prop. Microstruct. Process.

02-IMR0193

Kim, WY; Tanaka, H; Hanada, S

Effect of W alloying and NbC dispersion on high temperature strength at 1773 K and room temperature fracture toughness in Nb5Si3/Nb in-situ composites

Mater. Trans. 43 (2002) 1415 – 1418

02-IMR0613

Kim, JH; Tabaru, T; Hirai, H; Kitahara, A; Hanada, S

Mechanical properties of Nb-18Si-5Mo-5Hf-2C in-situ composite prepared by arc-casting

Mater. Trans. 43 (2002) 2201 – 2204

02-IMR0614

Yoshimi, K; Hanada, S; Haraguchi, T; Kato, H; Itoi, T; Inoue, A

Nanoporous surfaces of FeAl formed by vacancy

Mater. Trans. 43 (2002) 2897 – 2902

02-IMR0204

Takahashi, E; Sakurai, T; Watanabe, S; Masahashi, N; Hanada, S

Effect of heat treatment and sn content on superelasticity in biocompatible TiNbSn

Mater. Trans. 43 (2002) 2978 – 2983

02-IMR0615

Kim, WY; Yeo, ID; Kim, MS; Hanada, S

Effect of Cr addition on microstruucture and mechanical properties inn Nb-Si-Mo base multiphase alloys

Mater. Trans. 43 (2002) 3254 – 3261

02-IMR0616

Oh, IH; Nomura, N; Hanada, S

Microstructures and mechanical properties of porous titanium compacts prepared by powder

Mater. Trans. 43 (2002) 443 – 446

02-IMR0611

Ma, CL; Tan, Y; Kasama, A; Hanada, S

Phase equilibria in Nb-W-rich zone of the Nb-W-Si ternary

Mater. Trans. 43 (2002) 688 – 693

02-IMR0612

Semboshi, S; Masahashi, N; Hanada, S

Macro- and microstructural changes in hydrogenated TiMn2 and

Trans. Nonferrous Met. Soc. China 12 (2002) 695 – 701

02-IMR0617

Deformation Processing 2003

Nomura, N; Suzuki, T; Nakatani, S; Yoshimi, K; Hanada, S

Joining of oxidation-resistant Mo-Si-B multiphase alloy to heat-resistant Mo-ZrC in-situ

Intermetallics 11 (2003) 51 – 56

03-IMR0231

Haraguchi, T; Yoshimi, K; Kato, H; Hanada, S; Inoue, A

Determination of density and vacancy concentration in rapidly solidified FeAl

Intermetallics 11 (2003) 707 – 711

03-IMR0232

Tabaru, T; Shobu, K; Hirai, H; Hanada, S

Influences of Al content and secondary phase of Mo-5(Si,Al)(3) on the oxidation resistance of Al-rich Mo(Si,Al)(2)-base composites

Intermetallics 11 (2003) 721 – 733

03-IMR0517

Nomura, N; Suzuki, T; Yoshimi, K; Hanada, S

Microstructure and oxidation resistance of a plasma sprayed Mo-Si-B multiphase alloy

Intermetallics 11 (2003) 735 – 742

03-IMR0233

Yoshimi, K; Nakatani, S; Nomura, N; Hanada, S

Thermal expansion, strength and oxidation resistance of Mo/Mo5SiB2 in-situ composites at elevated temperatures

Intermetallics 11 (2003) 787 – 794

03-IMR0234

Mizuhara, Y; Hashimoto, K; Masahashi, N

Microstructure and phase stability of TiAl-W ternary

Intermetallics 11 (2003) 807 – 816

03-IMR0547

Semboshi, S; Masahashi, N; Hanada, S

Effect of composition on hydrogen absorbing properties in binary TiMn2 based

J. Alloy. Compd. 352 (2003) 210 – 217

03-IMR0548

Semboshi, S; Masahashi, N; Hanada, S

Hydrogenation-induced fragmentation in Ta-Ni

J. Alloy. Compd. 359 (2003) 236 – 243

03-IMR0549

Tan, Y; Ma, CL; Kasama, A; Tanaka, R; Mishima, Y; Hanada, S; Yang, JM

Effect of alloy composition on microstructure and high temperature properties of Nb-Zr-C ternary alloys

Mater. Sci. Eng. A-Struct. Mater. 341 (2003) 282 – 288
Prop. Microstruct. Process.

03-IMR0551

Sha, JB; Hirai, H; Tabaru, T; Kitahara, A; Ueno, H; Hanada, S

Effect of carbon on microstructure and high-temperature strength of Nb-Mo-Ti-Si in situ composites prepared by arc-melting and directional solidification

Mater. Sci. Eng. A-Struct. Mater. 343 (2003) 282 - 289
Prop. Microstruct. Process.

03-IMR0519

Kim, WY; Tanaka, H; Kim, MS; Hanada, S

High temperature strength and room temperature fracture toughness of Nb-Mo-W refractory alloys with and without carbide dispersoids

Mater. Sci. Eng. A-Struct. Mater. 346 (2003) 65 - 74
Prop. Microstruct. Process.

03-IMR0552

Tabaru, T; Shobu, K; Kim, JH; Hirai, H; Hanada, S

Oxidation resistance coating for niobium base structural

Mater. Sci. Forum 426-4 (2003) 2581 - 2586

03-IMR0520

Hanada, S; Ozaki, T; Takahashi, E; Watanabe, S; Yoshimi, K; Abumiya, T

Composition dependence of Young's modulus in beta titanium binary

Mater. Sci. Forum 426-4 (2003) 3103 - 3108

03-IMR0235

Sung, M; Haraguchi, T; Yoshimi, K; Hanada, S

Effect of excess vacancies on hydrogen absorption-desorption characteristics in rapidly solidified B2TiCo

Mater. Sci. Forum 426-4 (2003) 3727 - 3731

03-IMR0236

Kawashima, A; Watanabe, S; Asami, K; Hanada, S

XPS study of corrosion behavior of Ti-18Nb-4Sn shape memory alloy in a 0.05 mass % HCl

Mater. Trans. 44 (2003) 1405 - 1411

03-IMR0554

Murayama, Y; Hanada, S; Waku, Y

Microstructure and high-temperature strength of directionally solidified Al2O3/YAG eutectic composite

Mater. Trans. 44 (2003) 1690 - 1693

03-IMR0555

Oh, IH; Segawa, H; Nomura, N; Hanada, S

Microstructures and mechanical properties of porosity-graded pure titanium

Mater. Trans. 44 (2003) 657 - 660

03-IMR0553

Semboshi, S; Masahashi, N; Hanada, S

Multiple cracking of tantalum by

Metall. Mater. Trans. A-Phys. Metall. 34 (2003) 685 - 690
Mater. Sci.

03-IMR0556

Sha, J; Hirai, H; Tabaru, T; Kitahara, A; Ueno, H; Hanada, S

Mechanical properties of As-cast and directionally solidified Nb-MoW-Ti-Si in-situ composites at high temperatures

Metall. Mater. Trans. A-Phys. Metall. 34 (2003) 85 - 94
Mater. Sci.

03-IMR0521

Sha, JB; Hirai, H; Tabaru, T; Ueno, H; Hanada, S

Toughness and strength characteristics of Nb-W-Si ternary alloys prepared by arc

Metall. Mater. Trans. A-Phys. Metall. 34A (2003) 2861 - 2871
Mater. Sci.

03-IMR0557

Miura, E; Ota, K; Yoshimi, K; Hanada, S

Internal-friction study of the interstitial-substitutional effect on the deformation behaviour of Nb-O, Nb-Ta-O and Nb-Mo-O single crystals

Philos. Mag. 83 (2003) 2343 - 2357

03-IMR0237

Lu, XY; Nagata, A; Watanabe, K; Nojima, T; Sugawara, K; Hanada, S; Kamada, S

Formation and texture of Bi-2223 phase during sintering in high magnetic

Physica C-Superconductivity and Its Application 392 (2003) 453 - 457

03-IMR0558

Kim, JH; Tabaru, T; Hirai, H; Kitahara, A; Hanada, S

Tensile properties of a refractory metal base in situ composite consisting of an Nb solid solution and hexagonal Nb5Si3

Scr. Mater. 48 (2003) 1439 - 1444

03-IMR0523

Oh, IH; Nomura, N; Masahashi, N; Hanada, S

Mechanical properties of porous titanium compacts prepared by powder

Scr. Mater. 49 (2003) 1197 - 1202

03-IMR0559

Tabaru, T; Shobu, K; Sakamoto, M; Hirai, H; Hanada, S

Oxidation behavior of Mo(Si-0.(6),Al-0.(4))(2)/HfB2 composites as aluminum reservoir materials for protective Al2O3 formation

Scr. Mater. 49 (2003) 767 - 772

03-IMR0524

Deformation Processing 2004

Tabaru, T; Shobu, K; Sakamoto, M; Hanada, S

Effects of substitution of Al for Si on the lattice variations and thermal expansion of

Intermetallics 12 (2004) 33 – 41

04-IMR0543

Masahashi, N; Hanada, S

Microstructure evolution mechanism in iron aluminides/CrMo steel composite prepared by solid state bonding

ISIJ Int. 44 (2004) 878 – 885

04-IMR0544

Semboshi, S; Sakurai, M; Masahashi, N; Konno, TJ; Hanada, S

Effect of structural changes on degradation of hydrogen absorbing capacity in cyclically hydrogenated TiMn2 based alloys

J. Alloy. Compd. 376 (2004) 232 – 240

04-IMR0317

Masahashi, N; Komatsu, K; Watanabe, S; Hanada, S

Microstructure and properties of iron aluminum alloy/CrMo steel composite prepared by clad

J. Alloy. Compd. 379 (2004) 272 – 279

04-IMR0545

Semboshi, S; Masahashi, N; Konno, TJ; Sakurai, M; Hanada, S

Composition dependence of hydrogen absorbing properties in melt quenched and annealed TiMn2 based alloys

J. Alloy. Compd. 379 (2004) 290 – 297

04-IMR0546

Sha, J; Hirai, H; Tabaru, T; Kitahara, A; Ueno, H; Hanada, S

High-temperature strength and room-temperature toughness of Nb-W-Si-B alloys prepared by arc-melting

Mater. Sci. Eng. A-Struct. Mater. 364 (2004) 151 – 158
Prop. Microstruct. Process.

04-IMR0547

Kim, JH; Tabaru, T; Sakamoto, M; Hanada, S

Mechanical properties and fracture behavior of an Nbss/Nb-SS/Nb5Si3 in-situ composite modified by Mo and Hf alloying

Mater. Sci. Eng. A-Struct. Mater. 372 (2004) 137 – 144
Prop. Microstruct. Process.

04-IMR0548

Ma, CL; Li, JG; Tan, Y; Tanaka, R; Hanada, S

Effect of B addition on the microstructures and mechanical properties of Nb-16Si-10Mo-15W

Mater. Sci. Eng. A-Struct. Mater. 384 (2004) 377 – 384
Prop. Microstruct. Process.

04-IMR0549

Ma, CL; Li, JG; Tan, Y; Tanaka, R; Hanada, S

Microstructure and mechanical properties of Nb/Nb5Si3 in situ composites in Nb-Mo-Si and Nb-W-Si systems

Mater. Sci. Eng. A-Struct. Mater. 386 (2004) 375 – 383
Prop. Microstruct. Process.

04-IMR0550

Murayama, Y; Hanada, S; Lee, JH; Yoshikawa, A; Fukuda, T

Texture control and high-temperature strength of directionally solidified Al2O3/YAG/ZrO2 eutectic composite rods

Mater. Trans. 45 (2004) 2697 – 2702

04-IMR0502

Ozaki, T; Matsumoto, H; Watanabe, S; Hanada, S

Beta Ti alloys with low Young's

Mater. Trans. 45 (2004) 2776 – 2779

04-IMR0552

Murayama, Y; Hanada, S; Lee, JH; Yoshikawa, A; Fukuda, T

Microstructure and high-temperature strength of directionally solidified Al2O3/YAG/ZrO2 eutectic composite

Mater. Trans. 45 (2004) 303 – 306

04-IMR0500

Yamauchi, A; Yoshimi, K; Haraguchi, T; Hanada, S

Surface oxidation of Fe-48 mol % Al single crystal under a high

Mater. Trans. 45 (2004) 365 – 368

04-IMR0170

Fujikura, M; Kasama, A; Tanaka, R; Hanada, S

Effect of alloy chemistry on the high temperature strengths and room temperature fracture toughness of advanced Nb-based alloys

Mater. Trans. 45 (2004) 493 – 501

04-IMR0551

Yoshimi, K; Shoji, M; Ogawa, T; Yamauchi, A; Naganuma, T; Muramoto, K; Hanada, S

Microstructure and orientation distribution of aragonite crystals in nacreous layer of pearl

Mater. Trans. 45 (2004) 999 – 1004

04-IMR0171

Semboshi, S; Masahashi, N; Hanada, S

Hydrogen pulverization of refractory metals, alloys and

Met. Mater.-Int. 10 (2004) 45 – 53

04-IMR0553

Lu, XY; Nagata, A; Watanabe, K; Nojima, T; Sugawara, K; Hanada, S; Kamada, S

Formation and texture of Bi-2223 phase during sintering in a temperature

Physica C-Superconductivity and Its Application 412-14 (2004) 602 – 606

04-IMR0554
